## PENOSIL

# **Declaration of Performance**

(according to Annex III of the Regulation (EU) No 305/2011)

### DoP Nr: KR-005001

Version 3 / August 2022

Page 1 Of 2

(F

- I. Unique identification code of the product-type: PENOSIL Standard Sanitary Silicone (transparent)
- Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):
   Batch number: see packaging of the product
- 3. Intended use or uses of the construction product: Sealant used for sanitary applications.
- 4. Construction product in accordance with applicable harmonised specifications: EN 15651-3:2012: Type S: CLASS S1
- 5. Name, registered trade name or registered trademark and contact address of the manufacturer as required pursuant to Article 11(5): Wolf Group OÜ Suur-Paala 10 13619 Tallinn ESTONIA
- Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2): Not relevant (see 5)
- 7. System or systems of assessment and verification of constancy of performance of the construction product as set out in CPR, Annex V:

System 3 for the type testing. / System 3 for the reaction to fire

8. In case of the declaration of performance concerning a construction product covered by a harmonised standard: FUNDACION TECNALIA RESEARCH & INNOVATION (notified body nr. 1292) performed type testing under system 3 and issued test reports.

# PENOSIL

# **Declaration of Performance**

(according to Annex III of the Regulation (EU) No 305/2011)

## DoP Nr: KR-005001

Version 3 / August 2022

### 9. Declared performance:

Essential characteristics:	Performance:	<u>Harmonised</u> <u>technical</u> <u>specification</u>	
Reaction to fire	Class E	-	
Release of chemicals dangerous to the environment and health	NPD		
Water tightness and air tightness, as:			
Resistance to flow	≤ 5 mm	EN 15651-3: 2012	
Loss of volume	≤ 55 %		
<ul> <li>Tensile properties after immersion in water, elongation at break</li> </ul>	≥ 25 %		
Microbiological growth	1		
Durability:	Pass		
Conditioning method A / Tested on glass, without pri	mer		

#### 10. Declaration:

The performance of this product is in conformity with the declared performance. This declaration of performance is issued under the sole responsibility of the manufacturer.

Signed for and on behalf of the manufacturer by:

Kuldar Kongo Product Manager 13619 Tallinn, Estonia 08.08.2022

Page 2 Of 2

CE