

## TECHNICAL DATASHEET

# PENOSIL Premium BetClean

PENOSIL Premium BetClean is a detergent for removing the mortar stains.

### Field of applications

For removing the stains of substances containing cement from stone surfaces as well as concrete and ceramic tiles. Also suitable for removing salt stains.

### Application instructions

A stiff brush with nylon hair is recommended to be used as an application tool.

Moisten the surface sufficiently with water before treating it so the detergent will not penetrate into the surface.

Apply PENOSIL Premium BetClean with a brush onto the surface to be cleaned and keep it until the gas bubbles stop emerging. Remove the stains with a stiff brush. Then rinse the surface with clean water. It is extremely important to remove all the residues of the detergent from the surface. The cleaning process may be repeated if necessary.

For removing salt stains, it is recommended to add 4 parts of water to the detergent.

As for natural stone surfaces, the detergent may damage the surface of the stone. If necessary, perform a test cleaning and dilute the detergent with water.

### Cleaning

Wash with plenty of water.

### Technical data

Properties	Unit	Value
Density	g/cm <sup>3</sup>	1,06
Consumption	m <sup>2</sup> /l	3–6

The parameters indicated have been measured at +23 °C and 50% relative air humidity.

### Colour

Transparent liquid.

### Package

1 L plastic bottle.

5 L, 10 L plastic canister.

### Storage conditions

Guaranteed storage time 24 months starting from the date of manufacture if stored in a closed original package in a dry place between +5 °C and +30 °C, avoid freezing.

### Safety regulations

Irritating to eyes, respiratory system and skin. Keep locked up and out of the reach of children. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable gloves and eye/face protection. In case of accident or if you feel unwell seek medical advice immediately (show the label where possible).

Detailed safety information is available on safety data sheet (SDS).